PINHOLE POST-OP INSTRUTIONS FOR 6 WEEKS

- NO BRUSHING OVER SURGICAL SITE(S). 1.)
- NO FLOSSING (Water-Pik ONLY from tongue-side of inside on low) 2.)
- NO TOUCHING: with finger or any other device or object. 3.)
- 4.) Do not lick surgical area.
- 5.) Do not use cotton swabs, cloth or any soft or hard object to clean area.
- Do not sleep with hands under the cheek where surgery was done. 6.)
- No facial massages for 3 weeks or massage that area of the face for any reason. 7.)
- NO LOOKING: Do not obsess over or question Doctor about appearance of gums for 6 8.) weeks. You cannot look without pulling cheek.
- RINSE ONLY WITH LIPS APART: SLOSHING ONLY 9.)
- 10.) NO Chipmunk cheeks when you rinse.
- Do not play wind instruments for 3 weeks. 11.)
- 12.) Do not suck on straws.
- 13.) Do not blow balloons.
- 14.) No spitting.
- **15.**) No mints over surgical area.
- No smoking, chewing tobacco, cigar, pipe or recreational marijuana. Please consult 16.) doctor if you use marijuana for medical purposes.
- WEAR PRESCRIBED BITE APPLIANCE 24 HOURS A DAY, if instructed. Check with Doctor **17.)** about any other appliances (e.g., retainers, Invisalign, Perio-Protect, etc).
- 18.) No Clenching or grinding of the teeth.
- 19.) No heavy lifting that require clenching of the teeth.
- 20.) No heavy aerobics or vigorous dancing or physical activity for 3 weeks.
- 21.) No Snorkeling for 6 months
- ICE OVER AREA at 10 minute intervals for the first 48 hours to minimize swelling. 22.)
- DO NOT BE ALARMED ABOUT SOFT SWELLING OR BRUISING FOR THE FIRST WEEK. 23.)
- DO NOT EAT crunchy or sticky food (like bread) that can get stuck on or in between
- EXPECT cold sensitivity for 6 weeks or longer. DO REPORT sensitivity during check-up appointments.
- 26.) PAIN CONTROL- take one each of acetaminophen (Tylenol) and NSAID (Motrin or Advil) at the same time, subject to other instructions by Doctor.
- CALL DOCTOR IMMEDIATELY IF YOU HAVE UNEXPECTED PAIN, CONTINUOUS 27.) BLEEDING, OR HEAT FROM SURGICAL SITE.
- No extremely hot liquids.
- 29.) Patient MUST return to our office 1 week after surgery, 3 weeks after surgery and 6 weeks after surgery.

30.)	After the 6 th week, you may brush surgic or ordered by this office for <u>6 MONTHS</u> .	al area with special extra soft brush dis	spensed
Signature		Date	
Printe	d Responsible Party/Patient's Name		